

Scripts

- [Purged Account Migration From Backup Script](#)

Purged Account Migration From Backup Script

-- to install extension

```
CREATE EXTENSION postgres_fdw;
```

-- you need to create a reference to the backup server

```
CREATE SERVER backup_prod_server  
FOREIGN DATA WRAPPER postgres_fdw  
OPTIONS (host 'hostAddressHere', port '5432', dbname 'postgres');
```

-- you need to define the user credentials to access the backup db

```
CREATE USER MAPPING FOR currentDbUserNameHere  
SERVER staging  
OPTIONS (user 'usernameHere', password 'passwordHere');
```

-- and you need to define a reference to the external db schema(s) (you actually need to create a schema named backup_prod_db_public)

```
IMPORT FOREIGN SCHEMA public  
FROM SERVER backup_prod_server  
INTO backup_prod_db_public;
```

-- and you need to define a reference to the external db schema(s) (you actually need to create a schema named backup_prod_db_workflow)

```
IMPORT FOREIGN SCHEMA workflow  
FROM SERVER backup_prod_server  
INTO backup_prod_db_workflow;
```

```
INSERT INTO public."DbBrandings"  
SELECT * FROM backup_prod_db_public."DbBrandings" where "Id" IN (SELECT "BrandingID" FROM  
backup_prod_db_public."DbAccounts" WHERE "Id" = {ACCOUNT_ID});
```

```
INSERT INTO public."DbAccounts"  
SELECT * FROM backup_prod_db_public."DbAccounts" where "Id" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbSamlConfigurations"  
SELECT * FROM backup_prod_db_public."DbSamlConfigurations" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbSamlRoleAuthentications"  
SELECT * FROM backup_prod_db_public."DbSamlRoleAuthentications" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbSamlResponses"  
SELECT * FROM backup_prod_db_public."DbSamlResponses" where "AccountID" = {ACCOUNT_ID};
```

```
CREATE TEMP TABLE Temp_Email_Settings_Ids(Id integer);  
INSERT INTO Temp_Email_Settings_Ids  
SELECT "EmailSettingsID" from backup_prod_db_public."DbEmailSettingToAccounts" where  
"AccountID" = {ACCOUNT_ID};  
INSERT INTO public."DbEmailSettings"  
SELECT * FROM backup_prod_db_public."DbEmailSettings" where "Id" IN (SELECT "Id" FROM  
Temp_Email_Settings_Ids);
```

```
INSERT INTO public."DbEmailSettingToAccounts"  
SELECT * FROM backup_prod_db_public."DbEmailSettingToAccounts" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbProfileItemHiddenCharacterConfigurations"  
SELECT * FROM backup_prod_db_public."DbProfileItemHiddenCharacterConfigurations" where  
"AccountID" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbProfileItemHiddenCharacterRanges"  
SELECT * FROM backup_prod_db_public."DbProfileItemHiddenCharacterRanges" where "AccountID"  
= {ACCOUNT_ID};
```

```
INSERT INTO public."DbProfileItems"  
SELECT * FROM backup_prod_db_public."DbProfileItems" where "AccountID" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbProfiles"  
SELECT * FROM backup_prod_db_public."DbProfiles" where "AccountID" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbPresetValues"  
SELECT * FROM backup_prod_db_public."DbPresetValues" where "AccountID" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbProfileToProfileItems"  
SELECT * FROM backup_prod_db_public."DbProfileToProfileItems" where "ProfileID" in (select "Id"  
from backup_prod_db_public."DbProfiles" where "AccountID" = {ACCOUNT_ID});
```

```
INSERT INTO public."DbFormFillDefinitions"  
SELECT * FROM backup_prod_db_public."DbFormFillDefinitions" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbFormFillToProfileItems"  
SELECT * FROM backup_prod_db_public."DbFormFillToProfileItems" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbFormFillPendings"
```

```
SELECT * FROM backup_prod_db_public."DbFormFillPendings" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbSecurityPolicies"
```

```
SELECT * FROM backup_prod_db_public."DbSecurityPolicies" where "AccountID" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbSecurityPolicyIpAddresses"
```

```
SELECT * FROM backup_prod_db_public."DbSecurityPolicyIpAddresses" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbSecurityPolicyLoginTimes"
```

```
SELECT * FROM backup_prod_db_public."DbSecurityPolicyLoginTimes" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbSystemPermissions"
```

```
SELECT * FROM backup_prod_db_public."DbSystemPermissions" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbRoles"
```

```
SELECT * FROM backup_prod_db_public."DbRoles" where "AccountID" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbRoleToAccountFeatures"
```

```
SELECT * FROM backup_prod_db_public."DbRoleToAccountFeatures" where "RoleID" in (select "Id"  
from backup_prod_db_public."DbRoles" where "AccountID" = {ACCOUNT_ID});
```

```
INSERT INTO public."DbUserRolePreferences"
```

```
SELECT * FROM backup_prod_db_public."DbUserRolePreferences" where "RoleID" in (select "Id"  
from backup_prod_db_public."DbRoles" where "AccountID" = {ACCOUNT_ID});
```

```
INSERT INTO public."DbUserSessions"
```

```
SELECT * FROM backup_prod_db_public."DbUserSessions" where "RoleID" in (select "Id" from  
backup_prod_db_public."DbRoles" where "AccountID" = {ACCOUNT_ID});
```

```
INSERT INTO public."DbUserSessionToDbRoles"
```

```
SELECT * FROM backup_prod_db_public."DbUserSessionToDbRoles" where "UserSessionID" in  
(select "Id" from "DbUserSessions" where backup_prod_db_public."RoleID" in (select "Id" from  
"DbRoles" where "AccountID" = {ACCOUNT_ID}));
```

```
INSERT INTO public."DbUserSessionToDbRoles"
```

```
SELECT * FROM backup_prod_db_public."DbUserSessionToDbRoles" where "RoleID" in (select "Id"  
from backup_prod_db_public."DbRoles" where "AccountID" = {ACCOUNT_ID});
```

```
INSERT INTO public."DbProfileValueRoles"
```

```
SELECT * FROM backup_prod_db_public."DbProfileValueRoles" where "RoleID" in (select "Id" from  
backup_prod_db_public."DbRoles" where "AccountID" = {ACCOUNT_ID});
```

```

INSERT INTO public."DbRoleRelationships"
SELECT * FROM backup_prod_db_public."DbRoleRelationships" where "ParentRoleID" in (select "Id"
from backup_prod_db_public."DbRoles" where "AccountID" = {ACCOUNT_ID});

DELETE FROM public."DbRoleClosures" where "ParentID" in (select "Id" from
backup_prod_db_public."DbRoles" where "AccountID" = {ACCOUNT_ID});
INSERT INTO public."DbRoleClosures"
SELECT * FROM backup_prod_db_public."DbRoleClosures" where "ParentID" in (select "Id" from
backup_prod_db_public."DbRoles" where "AccountID" = {ACCOUNT_ID});

INSERT INTO public."DbNotifications"
SELECT * FROM backup_prod_db_public."DbNotifications" where "AccountID" = {ACCOUNT_ID};

INSERT INTO public."DbWorkflowStageInstanceToNotifications"
SELECT * FROM backup_prod_db_public."DbWorkflowStageInstanceToNotifications" where
"AccountID" = {ACCOUNT_ID};

INSERT INTO public."DbAccountSettings"
SELECT * FROM backup_prod_db_public."DbAccountSettings" where "AccountID" = {ACCOUNT_ID};

CREATE TEMP TABLE Temp_Active_File_Infoes(NodeID bigint, FileInfoID bigint);
INSERT INTO Temp_Active_File_Infoes (nodeid, fileinfoid)
SELECT "Id", "FileInfoID" from backup_prod_db_public."DbNodes" where "AccountID" =
{ACCOUNT_ID};

INSERT INTO public."DbNodes" ("Id", "AccountID", "CreatedByUserID", "ParentID", "Name",
"SystemType", "FileInfoID", "ProfileID", "CreatedOn", "ModifiedOn", "DeletedOn", "PurgedOn")
SELECT backup_prod_db_public."DbNodes"."Id", backup_prod_db_public."DbNodes"."AccountID",
backup_prod_db_public."DbNodes"."CreatedByUserID",
backup_prod_db_public."DbNodes"."ParentID", backup_prod_db_public."DbNodes"."Name",
backup_prod_db_public."DbNodes"."SystemType", NULL,
backup_prod_db_public."DbNodes"."ProfileID", backup_prod_db_public."DbNodes"."CreatedOn",
backup_prod_db_public."DbNodes"."ModifiedOn", backup_prod_db_public."DbNodes"."DeletedOn",
backup_prod_db_public."DbNodes"."PurgedOn"
FROM backup_prod_db_public."DbNodes" where "AccountID" = {ACCOUNT_ID};

INSERT INTO public."DbNodeComments"
SELECT * FROM backup_prod_db_public."DbNodeComments" where "AccountID" = {ACCOUNT_ID};

INSERT INTO public."DbFileInfoes"
SELECT * FROM backup_prod_db_public."DbFileInfoes" where "AccountID" = {ACCOUNT_ID};

UPDATE public."DbNodes"
SET "FileInfoID" = Temp_Active_File_Infoes.fileinfoid
FROM Temp_Active_File_Infoes
WHERE public."DbNodes"."Id" = Temp_Active_File_Infoes.nodeid;

```

```
INSERT INTO public."DbNodeToFileInfos"  
SELECT * FROM backup_prod_db_public."DbNodeToFileInfos" where "AccountID" =  
{ACCOUNT_ID};
```

```
DELETE FROM public."DbNodeClosures" WHERE "AccountID" = {ACCOUNT_ID};  
INSERT INTO public."DbNodeClosures" ("ParentID", "ChildID", "Depth", "AccountID")  
SELECT backup_prod_db_public."DbNodeClosures"."ParentID",  
backup_prod_db_public."DbNodeClosures"."ChildID",  
backup_prod_db_public."DbNodeClosures"."Depth",  
backup_prod_db_public."DbNodeClosures"."AccountID"  
FROM backup_prod_db_public."DbNodeClosures" where "AccountID" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbEmailQueueAttachmentNodes"  
SELECT * FROM backup_prod_db_public."DbEmailQueueAttachmentNodes" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbPortfolioToNodes"  
SELECT * FROM backup_prod_db_public."DbPortfolioToNodes"  
where "AddedByUserID" IN (select "UserID" from backup_prod_db_public."DbRoles" where  
backup_prod_db_public."DbRoles"."AccountID" = {ACCOUNT_ID} and  
backup_prod_db_public."DbRoles"."UserID" is not null)  
and isnumeric(backup_prod_db_public."DbPortfolioToNodes"."NodeID")  
and EXISTS (SELECT * FROM backup_prod_db_public."DbNodes" WHERE "Id" =  
CAST(backup_prod_db_public."DbPortfolioToNodes"."NodeID" as bigint) AND "AccountID" =  
{ACCOUNT_ID});
```

```
INSERT INTO public."DbTemplateNodeChangeLogs"  
SELECT * FROM backup_prod_db_public."DbTemplateNodeChangeLogs" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbESignatureTransactions"  
SELECT * FROM backup_prod_db_public."DbESignatureTransactions" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbESignatureNodeAssociations"  
SELECT * FROM backup_prod_db_public."DbESignatureNodeAssociations" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbESignatureSigners"  
SELECT * FROM backup_prod_db_public."DbESignatureSigners" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbRetentionChangeReason"  
SELECT * FROM backup_prod_db_public."DbRetentionChangeReason" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbRightSignatureDocuments"  
SELECT * FROM backup_prod_db_public."DbRightSignatureDocuments" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbNodeAnnotations"  
SELECT * FROM backup_prod_db_public."DbNodeAnnotations" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbUserImageStamps"  
SELECT * FROM backup_prod_db_public."DbUserImageStamps" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbDocumentRequests"  
SELECT * FROM backup_prod_db_public."DbDocumentRequests" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbDocumentRequestToNotifications"  
SELECT * FROM backup_prod_db_public."DbDocumentRequestToNotifications" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbDocumentRequestRoles"  
SELECT * FROM backup_prod_db_public."DbDocumentRequestRoles" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbDocumentRequestContainers"  
SELECT * FROM backup_prod_db_public."DbDocumentRequestContainers" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbDocumentRequestAttachments"  
SELECT * FROM backup_prod_db_public."DbDocumentRequestAttachments" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbDocumentRequestContainerNodes"  
SELECT * FROM backup_prod_db_public."DbDocumentRequestContainerNodes" where "AccountID"  
= {ACCOUNT_ID};
```

```
INSERT INTO public."DbFileQueue"  
SELECT * FROM backup_prod_db_public."DbFileQueue" where "AccountID" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbNodeShares"  
SELECT * FROM backup_prod_db_public."DbNodeShares" where "AccountID" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbProfileValueNodes"  
SELECT * FROM backup_prod_db_public."DbProfileValueNodes" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbPermissions"  
SELECT * FROM backup_prod_db_public."DbPermissions" where "AccountID" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbLegacyNodeMappings"  
SELECT * FROM backup_prod_db_public."DbLegacyNodeMappings" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbTriggerMessageContent"  
SELECT * FROM backup_prod_db_public."DbTriggerMessageContent" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbTriggers"  
SELECT * FROM backup_prod_db_public."DbTriggers" where "AccountID" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbTriggerToSearchCriteria"  
SELECT * FROM backup_prod_db_public."DbTriggerToSearchCriteria" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbTriggerToApiCallouts"  
SELECT * FROM backup_prod_db_public."DbTriggerToApiCallouts" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbTriggerInfoNodes"  
SELECT * FROM backup_prod_db_public."DbTriggerInfoNodes" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbTriggerToNode"  
SELECT * FROM backup_prod_db_public."DbTriggerToNode" where "AccountID" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbTriggerToRoles"  
SELECT * FROM backup_prod_db_public."DbTriggerToRoles" where "AccountID" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbTriggerToWorkflow"  
SELECT * FROM backup_prod_db_public."DbTriggerToWorkflow" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbTimeTriggers"  
SELECT * FROM backup_prod_db_public."DbTimeTriggers" where "AccountID" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbEventTriggers"  
SELECT * FROM backup_prod_db_public."DbEventTriggers" where "AccountID" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbEmailImportMappings"  
SELECT * FROM backup_prod_db_public."DbEmailImportMappings" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbEmailQueue"  
SELECT * FROM backup_prod_db_public."DbEmailQueue" where "AccountID" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbEmailRecipients"  
SELECT * FROM backup_prod_db_public."DbEmailRecipients" where "AccountID" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbEmailQueueAttachmentNodes"  
SELECT * FROM backup_prod_db_public."DbEmailQueueAttachmentNodes" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbAuditLogs"  
SELECT * FROM backup_prod_db_public."DbAuditLogs" where "AccountID" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbAuditLogsToRoles"  
SELECT * FROM backup_prod_db_public."DbAuditLogsToRoles" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbAuditLogsToRoleDetails"  
SELECT * FROM backup_prod_db_public."DbAuditLogsToRoleDetails" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbAuditLogsToNodes"  
SELECT * FROM backup_prod_db_public."DbAuditLogsToNodes" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbAuditLogsToNodeDetails"  
SELECT * FROM backup_prod_db_public."DbAuditLogsToNodeDetails" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbAccessLinks"  
SELECT * FROM backup_prod_db_public."DbAccessLinks" where "AccountID" = {ACCOUNT_ID};
```

```
INSERT INTO public."DbAccessLinksToDocumentRequests"  
SELECT * FROM backup_prod_db_public."DbAccessLinksToDocumentRequests" where "AccountID"  
= {ACCOUNT_ID};
```

```
INSERT INTO public."DbAccessLinksToNodeAndTriggers"  
SELECT * FROM backup_prod_db_public."DbAccessLinksToNodeAndTriggers" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbAccountFeatureUsages"  
SELECT * FROM backup_prod_db_public."DbAccountFeatureUsages" where "AccountID" =  
{ACCOUNT_ID};
```

```
INSERT INTO public."DbAccountFeatures"  
SELECT * FROM backup_prod_db_public."DbAccountFeatures" where "AccountID" =  
{ACCOUNT_ID};
```

```

INSERT INTO public."DbCheckoutInfoes"
SELECT * FROM backup_prod_db_public."DbCheckoutInfoes" where "AccountID" = {ACCOUNT_ID};

INSERT INTO public."DbSfMappingDestinations"
SELECT * FROM backup_prod_db_public."DbSfMappingDestinations" where "AccountID" =
{ACCOUNT_ID};

INSERT INTO public."DbSfMappings"
SELECT * FROM backup_prod_db_public."DbSfMappings" where "AccountID" = {ACCOUNT_ID};

INSERT INTO public."DbSfLinks"
SELECT * FROM backup_prod_db_public."DbSfLinks" where "AccountID" = {ACCOUNT_ID};

-- WORKFLOW TABLES

INSERT INTO workflow."DbWorkflows"
SELECT * FROM backup_prod_db_workflow."DbWorkflows" where "AccountID" = {ACCOUNT_ID};

INSERT INTO workflow."DbWorkflowAssets"
SELECT * FROM backup_prod_db_workflow."DbWorkflowAssets" where "WorkflowID" IN (SELECT
"Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountID" = {ACCOUNT_ID});

INSERT INTO workflow."DbWorkflowStages"
SELECT * FROM backup_prod_db_workflow."DbWorkflowStages" where "WorkflowID" IN (SELECT
"Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountID" = {ACCOUNT_ID});

INSERT INTO workflow."DbWorkflowsAvailableStates"
SELECT * FROM backup_prod_db_workflow."DbWorkflowsAvailableStates" where "WorkflowID" IN
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountID" =
{ACCOUNT_ID});

CREATE TEMP TABLE Temp_Current_Workflow_Stages(WorkflowInstanceID bigint,
WorkflowStageInstanceID bigint);
INSERT INTO Temp_Current_Workflow_Stages (workflowinstanceid, workflowstageinstanceid)
SELECT "Id", "CurrentStageID" from backup_prod_db_workflow."DbWorkflowInstances" where
"WorkflowID" IN (SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountID"
= {ACCOUNT_ID});

INSERT INTO workflow."DbWorkflowInstances" ("Id", "Name", "Description", "IsActive", "StateID",
"WorkflowID", "OwnerID", "CreatedDate", "LastModifiedDate", "CurrentStageID")
SELECT "Id", "Name", "Description", "IsActive", "StateID", "WorkflowID", "OwnerID", "CreatedDate",
"LastModifiedDate", NULL
FROM backup_prod_db_workflow."DbWorkflowInstances" where "WorkflowID" IN (SELECT "Id" FROM
backup_prod_db_workflow."DbWorkflows" WHERE "AccountID" = {ACCOUNT_ID});

INSERT INTO workflow."DbWorkflowStageInstances"
SELECT * FROM backup_prod_db_workflow."DbWorkflowStageInstances" where "WorkflowID" IN

```

```
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowInstances" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID}));
```

```
UPDATE workflow."DbWorkflowInstances"  
SET "CurrentStageID" = Temp_Current_Workflow_Stages.workflowstageinstanceid  
FROM Temp_Current_Workflow_Stages  
WHERE workflow."DbWorkflowInstances"."Id" =  
Temp_Current_Workflow_Stages.workflowinstanceid;
```

```
INSERT INTO workflow."DbAssetNodeReference"  
SELECT * FROM backup_prod_db_workflow."DbAssetNodeReference" where "AssetID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowAssets" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID}));
```

```
INSERT INTO workflow."DbWorkflowAssetsStages"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowAssetsStages" where "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID}));
```

```
INSERT INTO workflow."DbWorkflowAssetInstances"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowAssetInstances" where "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowInstances" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID}));
```

```
INSERT INTO workflow."DbAssetInstanceNodeReferences"  
SELECT * FROM backup_prod_db_workflow."DbAssetInstanceNodeReferences" where  
"AssetInstanceID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowAssetInstances" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowInstances" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})));
```

```
INSERT INTO workflow."DbProfileRoutingRules"  
SELECT * FROM backup_prod_db_workflow."DbProfileRoutingRules" where "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID}));
```

```
INSERT INTO workflow."DbWorkflowSteps"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowSteps" where "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =
```

```
{ACCOUNT_ID}));
```

```
INSERT INTO workflow."DbStageApproveResults"  
SELECT * FROM backup_prod_db_workflow."DbStageApproveResults" where "StageInstanceID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStageInstances" WHERE "WorkflowID"  
IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowInstances" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})));
```

```
INSERT INTO workflow."DbWorkflowAssetsStagesInstances"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowAssetsStagesInstances" where "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStageInstances" WHERE "WorkflowID"  
IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowInstances" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})));
```

```
INSERT INTO workflow."DbWorkflowStepInstances"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowStepInstances" where "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStageInstances" WHERE "WorkflowID"  
IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowInstances" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})));
```

```
INSERT INTO workflow."DbWorkflowSetProfileInstanceltems"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowSetProfileInstanceltems" where  
"StepInstanceID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStepInstances" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStageInstances" WHERE "WorkflowID"  
IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowInstances" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})));
```

```
INSERT INTO workflow."DbWorkflowSetProfileInstanceltemPresetValues"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowSetProfileInstanceltemPresetValues" where  
"StepProfileItemID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowSetProfileInstanceltems" WHERE  
"StepInstanceID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStepInstances" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStageInstances" WHERE "WorkflowID"  
IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStageInstances" WHERE "WorkflowID"  
IN
```

```
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})))));
```

```
INSERT INTO workflow."DbWorkflowSendMessageInstanceRecipients"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowSendMessageInstanceRecipients" where  
"StepInstanceId" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStepInstances" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStageInstances" WHERE "WorkflowID"  
IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowInstances" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})))));
```

```
INSERT INTO workflow."DbWorkflowStepInstanceEmailUserGroups"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowStepInstanceEmailUserGroups" where  
"WorkflowAddTriggerStepInstanceId" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStepInstances" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStageInstances" WHERE "WorkflowID"  
IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowInstances" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})))));
```

```
INSERT INTO workflow."DbWorkflowStepInstanceEmailUsers"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowStepInstanceEmailUsers" where  
"WorkflowAddTriggerStepInstanceId" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStepInstances" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStageInstances" WHERE "WorkflowID"  
IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowInstances" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})))));
```

```
INSERT INTO workflow."DbWorkflowRequestFileExternalStepInstanceNewUserReferences"  
SELECT * FROM  
backup_prod_db_workflow."DbWorkflowRequestFileExternalStepInstanceNewUserReferences"  
where "StepInstanceId" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStepInstances" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStageInstances" WHERE "WorkflowID"  
IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowInstances" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})))));
```

```
INSERT INTO workflow."DbWorkflowRequestFileExternalStepInstanceRecipientGroups"  
SELECT * FROM
```

```
backup_prod_db_workflow."DbWorkflowRequestFileExternalStepInstanceRecipientGroups" where
"WorkflowStepInstanceId" IN
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStepInstances" WHERE "StageID" IN
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStageInstances" WHERE "WorkflowID"
IN
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowInstances" WHERE "WorkflowID" IN
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =
{ACCOUNT_ID})))));
```

```
INSERT INTO workflow."DbWorkflowRequestFileExternalStepInstanceRecipients"
SELECT * FROM
backup_prod_db_workflow."DbWorkflowRequestFileExternalStepInstanceRecipients" where
"WorkflowStepInstanceId" IN
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStepInstances" WHERE "StageID" IN
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStageInstances" WHERE "WorkflowID"
IN
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowInstances" WHERE "WorkflowID" IN
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =
{ACCOUNT_ID})))));
```

```
INSERT INTO workflow."DbWorkflowStepInstanceDocumentRequestContainers"
SELECT * FROM backup_prod_db_workflow."DbWorkflowStepInstanceDocumentRequestContainers"
where "StepInstanceId" IN
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStepInstances" WHERE "StageID" IN
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStageInstances" WHERE "WorkflowID"
IN
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowInstances" WHERE "WorkflowID" IN
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =
{ACCOUNT_ID})))));
```

```
INSERT INTO workflow."DbWorkflowStepInstanceUserReferences"
SELECT * FROM backup_prod_db_workflow."DbWorkflowStepInstanceUserReferences" where
"StepInstanceId" IN
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStepInstances" WHERE "StageID" IN
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStageInstances" WHERE "WorkflowID"
IN
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowInstances" WHERE "WorkflowID" IN
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =
{ACCOUNT_ID})))));
```

```
INSERT INTO workflow."DbWorkflowStepInstanceGroupReferences"
SELECT * FROM backup_prod_db_workflow."DbWorkflowStepInstanceGroupReferences" where
"StepInstanceId" IN
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStepInstances" WHERE "StageID" IN
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStageInstances" WHERE "WorkflowID"
IN
```

```
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowInstances" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID}));
```

```
INSERT INTO workflow."DbWorkflowShareStepInstanceNewUserReferences"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowShareStepInstanceNewUserReferences"  
where "StepInstanceId" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStepInstances" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStageInstances" WHERE "WorkflowID"  
IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowInstances" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})));
```

```
INSERT INTO workflow."DbWorkflowStepInstanceUsers"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowStepInstanceUsers" where  
"WorkflowSetPermissionsStepInstanceId" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStepInstances" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStageInstances" WHERE "WorkflowID"  
IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowInstances" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})));
```

```
INSERT INTO workflow."DbWorkflowStepInstanceUserGroups"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowStepInstanceUserGroups" where  
"WorkflowSetPermissionsStepInstanceId" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStepInstances" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStageInstances" WHERE "WorkflowID"  
IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowInstances" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})));
```

```
INSERT INTO workflow."DbWorkflowInstanceHistoryRecords"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowInstanceHistoryRecords" where  
"WorkflowID" IN (SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId"  
= {ACCOUNT_ID});
```

```
INSERT INTO workflow."DbWorkflowSetProfileItems"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowSetProfileItems" where "StepID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowSteps" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID}));
```

```
INSERT INTO workflow."DbWorkflowSetProfileItemPresetValues"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowSetProfileItemPresetValues" where  
"StepProfileItemID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowSetProfileItems" WHERE "StepID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowSteps" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})))));
```

```
INSERT INTO workflow."DbWorkflowSendMessageRecipients"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowSendMessageRecipients" where "StepID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowSteps" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})))));
```

```
INSERT INTO workflow."DbWorkflowAddTriggerStepEmailUserGroups"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowAddTriggerStepEmailUserGroups" where  
"WorkflowStepID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowSteps" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})))));
```

```
INSERT INTO workflow."DbWorkflowAddTriggerStepEmailUsers"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowAddTriggerStepEmailUsers" where  
"WorkflowStepID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowSteps" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})))));
```

```
INSERT INTO workflow."DbWorkflowRequestFileExternalStepNewUserReferences"  
SELECT * FROM  
backup_prod_db_workflow."DbWorkflowRequestFileExternalStepNewUserReferences" where  
"StepID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowSteps" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})))));
```

```
INSERT INTO workflow."DbWorkflowRequestFileExternalStepRecipientGroups"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowRequestFileExternalStepRecipientGroups"  
where "WorkflowStepID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowSteps" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN
```

```
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID}));
```

```
INSERT INTO workflow."DbWorkflowRequestFileExternalStepRecipients"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowRequestFileExternalStepRecipients" where  
"WorkflowStepID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowSteps" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})));
```

```
INSERT INTO workflow."DbWorkflowStepDocumentRequestContainers"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowStepDocumentRequestContainers" where  
"StepID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowSteps" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})));
```

```
INSERT INTO workflow."DbWorkflowShareStepNewUserReferences"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowShareStepNewUserReferences" where  
"StepID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowSteps" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})));
```

```
INSERT INTO workflow."DbWorkflowStepUserReferences"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowStepUserReferences" where "StepID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowSteps" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})));
```

```
INSERT INTO workflow."DbWorkflowStepGroupReferences"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowStepGroupReferences" where "StepID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowSteps" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})));
```

```
INSERT INTO workflow."DbWorkflowSetPermissionsStepUsers"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowSetPermissionsStepUsers" where  
"WorkflowStepID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowSteps" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN
```

```
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID}));
```

```
INSERT INTO workflow."DbWorkflowSetPermissionsStepUserGroups"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowSetPermissionsStepUserGroups" where  
"WorkflowStepID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowSteps" WHERE "StageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID})));
```

```
INSERT INTO workflow."DbWorkflowStageAssigneeGroups"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowStageAssigneeGroups" where  
"WorkflowStageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID}));
```

```
INSERT INTO workflow."DbWorkflowStageAssignees"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowStageAssignees" where "WorkflowStageID"  
IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID}));
```

```
INSERT INTO workflow."DbWorkflowStageApproverGroups"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowStageApproverGroups" where  
"WorkflowStageID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID}));
```

```
INSERT INTO workflow."DbWorkflowStageApprovers"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowStageApprovers" where "WorkflowStageID"  
IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflowStages" WHERE "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID}));
```

```
INSERT INTO workflow."DbWorkflowStarterGroups"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowStarterGroups" where "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID});
```

```
INSERT INTO workflow."DbWorkflowStarters"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowStarters" where "WorkflowID" IN
```

```
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID});
```

```
INSERT INTO workflow."DbWorkflowOwnerGroups"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowOwnerGroups" where "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID});
```

```
INSERT INTO workflow."DbWorkflowOwners"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowOwners" where "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID});
```

```
INSERT INTO workflow."DbWorkflowWatcherGroups"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowWatcherGroups" where "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID});
```

```
INSERT INTO workflow."DbWorkflowWatchers"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowWatchers" where "WorkflowID" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID});
```

```
INSERT INTO workflow."DbWorkflowScheduleConfigurations"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowScheduleConfigurations" where "Id" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID});
```

```
INSERT INTO workflow."DbWorkflowNotificationConfigurations"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowNotificationConfigurations" where "Id" IN  
(SELECT "Id" FROM backup_prod_db_workflow."DbWorkflows" WHERE "AccountId" =  
{ACCOUNT_ID});
```

```
INSERT INTO workflow."DbWorkflowJobsQueue"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowJobsQueue" where "AccountId" =  
{ACCOUNT_ID};
```

```
INSERT INTO workflow."DbWorkflowAccountEmailConfig"  
SELECT * FROM backup_prod_db_workflow."DbWorkflowAccountEmailConfig" where "AccountId" =  
{ACCOUNT_ID};
```